ITEM NO. _____

RWN-16, RWN-26, RWN-36 BUILT-IN NARROW DRAWER WARMERS

RWN-26

Wells Built-In Narrow Drawer Warmers can keep a variety of foods hot and ready to serve. Their compact width saves valuable space, yet the drawers accept all standard 12" x 20" pans up to 6" deep. All Wells warmers come with individual controls on each drawer for temperature and humidity, allowing food to be hot and crispy in one drawer, warm and moist in another.

Specifications

Overall Dimensions:	Inches	MM
Width	20 1/4	514
Depth	26 1/2	673
Height		
RWN-16 series	10 7/8	276
RWN-26 series	21	533
RWN-36 series	31 1/8	790
Temperature Range:	**Fahrenheit**	**Celsius**
RWN series	90° to 210°	32° to 99°
Pre-Heat Time to 175˚ F:	**120V & 240V**	**208V**
RWN series	15 minutes	22 minutes
Typical Capacity:	**Dinner Rolls**	
Individual drawer	Appox. 8 doz.	
Weights:	**Lbs.**	**KG**
RWN-16 series:		
Installed	51	23
Shipping	63	29
RWN-26 series:		
Installed	96	44
Shipping	120	54
RWN-36 series:		
Installed	155	70
Shipping	191	87

Features

- **Narrow width saves space** while accommodating standard 12"x20" pans.
- **Exclusive self-latching mechanism** provides easy, one-touch, secure closing.
- **Individual thermostatic temperature control** on each drawer gives these warmers maximum versatility.
- **Durable stainless steel tracks and bearings** provide smooth, trouble-free operation.
- **Adjustable front vent** on each drawer allows for humidity control.
- **A stainless steel pan** is provided with each drawer and is capable of holding a standard 12" x 20" pan.
- **Fully insulated** for maximum efficiency.
- **Models with optional built-in thermometer (T)** are NSF approved for potentially hazardous foods.
- **The RWN series Drawer Warmers** are Underwriters Laboratories, Inc. LISTED and meet NSF International and Canadian standards.
- **A one-year warranty** against defects covers parts and labor.

Accessories / Options

Humitrol Rack, stainless steel, one per drawer, non-splash, 20624

Optional Built-in Thermometer (T), for individual drawers, contact factory

LISTED E6070 STD.4 LISTED E6070

MODEL RWN-16 BUILT-IN NARROW DRAWER WARMER

DIMENSIONS:

INCH
(MM)



RWN-16 ELECTRICAL SPECIFICATIONS:

MODELS*	VOLTS	WATTS	AMPS	PHASE	POWER SUPPLY CORD
RWN-16	120	450	3.8	SINGLE	NONE
RWN-16	208	338	1.6	SINGLE	NONE
RWN-16	240	450	1.9	SINGLE	NONE

* RWNT-16 models are provided with a thermometer and have the same electrical specifications as the standard models.

NOTE: Specifications are subject to change without notice. See installation instructions prior to installing the unit. This document is not for installation purposes.

LISTED E6070 STD.4 LISTED E6070

MODEL RWN-26 BUILT-IN NARROW DRAWER WARMER

DIMENSIONS:

INCH
(MM)



RWN-26 ELECTRICAL SPECIFICATIONS:

MODELS*	VOLTS	WATTS	AMPS	PHASE	POWER SUPPLY CORD
RWN-26	120	900	7.5	SINGLE	NONE
RWN-26	208	676	3.3	SINGLE	NONE
RWN-26	240	900	3.8	SINGLE	NONE

* RWNT-26 models are provided with a thermometer and have the same electrical specifications as the standard models.

NOTE: Specifications are subject to change without notice. See installation instructions prior to installing the unit. This document is not for installation purposes.

LISTED E6070 STD.4 E6070

MODEL RWN-36 BUILT-IN NARROW DRAWER WARMER

DIMENSIONS: INCH (MM)



RWN-36 ELECTRICAL SPECIFICATIONS:

MODELS*	VOLTS	WATTS	AMPS	PHASE	POWER SUPPLY CORD
RWN-36	120	1350	11.3	SINGLE	NONE
RWN-36	208	1014	4.9	SINGLE	NONE
RWN-36	240	1350	5.6	SINGLE	NONE

* RWNT-36 models are provided with a thermometer and have the same electrical specifications as the standard models.

NOTE: Specifications are subject to change without notice. See installation instructions prior to installing the unit. This document is not for installation purposes.

WELLS MANUFACTURING COMPANY
2 ERIK CIRCLE, PO BOX 280, VERDI, NV 89439 U.S.A.
USA PHONE: (775) 345-0444 • FAX: (775) 345-0569
FOR ORDERS ONLY: (888) 356-5362 • FAX: (800) 356-5142
www.wellsbloomfield.com
© 2002 WELLS MANUFACTURING • PRINTED IN THE U.S.A.
02/02 • REV(E) • PART NO. 49340

Carrier WELLS WELLS